

Alexander, E. K., et al. (2017). "2017 Guidelines of the American Thyroid Association for the Diagnosis and Management of Thyroid Disease during Pregnancy and the Postpartum." *Thyroid* 27(3): 315-389.

Azizi, F. and A. Amouzegar (2011). "Management of hyperthyroidism during pregnancy and lactation." *European Journal of Endocrinology, Supplement* 164(6): 871-876.

Azizi, F., et al. (2016). "Prevalent practices of thyroid diseases during pregnancy among endocrinologists, internists and general practitioners." *International Journal of Endocrinology and Metabolism* 14(1).

Bernard, D., et al. (2013). "Radioiodine 131 therapy in hyperthyroidism Evaluation of French nuclear medicine practice." *European Journal of Nuclear Medicine and Molecular Imaging* 40: S233.

Chakrabarti, B. (2001). "Radio-iodine (NaI131) therapy in hyperthyroidism." *Journal of the Indian Medical Association* 99(11): 642-645.

Claret-Torrents, C., et al. (2009). "Hyperthyroidism in Down síndrome." *SD Revista Medica Internacional sobre el Síndrome de Down* 13(1): 2-8.

De Luca, F., et al. (2016). "Management of hyperthyroidism in children." *Expert Review of Endocrinology and Metabolism* 11(4): 301-309.

Fatourechi, M. M. and V. Fatourechi (2014). "An update on subclinical hypothyroidism and subclinical hyperthyroidism." *Expert Review of Endocrinology and Metabolism* 9(2): 137-151.

Korsch, E. (2010). "Impact of maternal thyreoidal antibodies on the neonatal thyroid function." *Hormone Research in Paediatrics* 74: 254.

Menendez, S. G. and S. Casula (2015). "Toxic multinodular goiter in patient biochemically euthyroid." *Endocrine Reviews* 36.

Rojas, C. R., et al. (2016). "A case of recurrent metastatic struma ovarii." *Endocrine Reviews* 37(2).

Tamhane, S. and H. Gharib (2016). "Thyroid nodule update on diagnosis and management." *Clinical Diabetes and Endocrinology* 2(1).

Vanes, N. K., et al. (2011). "Thyroid function in pregnancy: Maternal and fetal outcomes with hypothyroidism and subclinical thyroid dysfunction." *Fetal and Maternal Medicine Review* 22(3): 169-187.

Villagelin, D., et al. (2014). "The prolonged use of low doses of methimazole is an interesting therapeutic alternative for relapsed graves' disease patients." *Endocrine Reviews* 35.

Villagelin, D., et al. (2014). "The prolonged use of low doses of methimazole is an interesting therapeutic alternative for relapsed graves' disease patients." *Endocrine Reviews* 35.

Weetman, A. (2016). "Recommended management of thyroid disorders." *Prescriber* 27(12): 31-38.

Wright, H. V. and D. J. Williams (2013). "Thyrotoxicosis in pregnancy." *Fetal and Maternal Medicine Review* 24(2): 108-128.

Wysocki, J., et al. (2010). "Thyrotoxicosis induced cholestasis." *American Journal of Gastroenterology* 105: S268.

Døssing, H., et al. (2007). "Randomized prospective study comparing a single radioiodine dose and a single laser therapy session in autonomously functioning thyroid nodules." *European Journal of Endocrinology, Supplement* 157(1): 95-100.

Havrdova, E., et al. (2015). "Alemtuzumab in the treatment of multiple sclerosis: Key clinical trial results and considerations for use." *Therapeutic Advances in Neurological Disorders* 8(1): 31-45.

Kyrilli, A., et al. (2015). "Thiamazole pretreatment lowers the <sup>131</sup>I activity needed to cure hyperthyroidism in patients with nodular goiter." *100*: 2261-2267.

Mellington, F. E., et al. (2017). "Management of thyroid eye disease in the United Kingdom: A multi-centre thyroid eye disease audit." *Orbit* 36(3): 159-169.

Ross, D. S. (2011). "The author replies." *New England Journal of Medicine* 364(20): 1978-1979.

Sherman, S. I., et al. (2015). "Relationship between thyroid-stimulating hormone levels and outcomes from the randomized, double-blind, phase 3 study of (e7080) lenvatinib in differentiated cancer of the thyroid (SELECT)." *Endocrine Reviews* 36.

Wai, D. (2011). "Updates on the medical treatment for thyroid disease." *Annals of the Academy of Medicine Singapore* 40(7): S14.

(2014). "Abstracts of the 44th Annual Scientific Meeting of the Australian and New Zealand Society of Nuclear Medicine, ANZSNM 2014." *Internal Medicine Journal* 44.

Abraham, P. and S. Acharya (2010). "Current and emerging treatment options for graves' hyperthyroidism." *Therapeutics and Clinical Risk Management* 6(1): 29-40.

Ahmed, T. (2013). "The state of transient hypothyroidism after iodine-131 treatment in hyperthyroid patients with Graves' disease." *Journal of Labelled Compounds and Radiopharmaceuticals* 56: S278.

Akturk, H. K., et al. (2016). "Thyrotoxicosis with non-suppressed TSH: Diagnostic and therapeutic trial of short acting octreotide in a patient with non-localizable TSH-secreting tumor." *Endocrine Reviews* 37(2).

Albu, S. E., et al. (2016). "Thyroid autoimmune disease: Between hypothyroidism and hyperthyroidism." *Archives of the Balkan Medical Union* 51(4): 483-487.

Alkaabi, F., et al. (2015). "Association between hyperthyroidism and pulmonary hypertension." *Endocrine Reviews* 36.

Alwagdani, A. and J. L. Cohen (2015). "Recurrent episodes of silent thyroiditis presenting as atrial tachyarrhythmias." *Endocrine Reviews* 36.

Amer, H., et al. (2015). "Isolated acropachy preceding hyperthyroidism: A case report." *Thyroid* 25: A322.

Anaedo, H., et al. (2015). "The prevalence of incidental papillary thyroid cancer in patients undergoing thyroid surgery for presumed benign disease." *Thyroid* 25: A93.

Anaedo, H. I., et al. (2015). "Primary ovarian failure, a rare occurrence in intermediate CGG repeat fragile X carrier: A case report." *Endocrine Reviews* 36.

Azem, F. and G. Shefer (2016). "High dose radioiodine therapy affects ovarian reserve." *Fertility and Sterility* 106: e131.

Azizi, F., et al. (2011). "Long-term continuous methimazole or radioiodine treatment for hyperthyroidism." *Endocrine Reviews* 32(3).

Azorín Belda, M. J., et al. (2017). "Recombinant human thyrotropin stimulation prior to <sup>131</sup>I therapy in toxic multinodular goitre with low radioactive iodine uptake." *Revista Espanola de Medicina Nuclear e Imagen Molecular* 36(1): 7-12.

Baiocco, C., et al. (2013). "Twelve months follow up after <sup>131</sup>Iodine treatment in 342 patients with different types of hyperthyroidism." *Clinical and Translational Imaging* 1: S121.

Balaguruswamy, S. and S. Jones (2009). "Audit on the management of thyrotoxicosis in the clinic at a District General Hospital." *Endocrine Abstracts* 19: P385.

Ballal, S., et al. (2017). "Re-establishment of normal radioactive iodine uptake reference range in the era of universal salt iodization in the Indian population." *Indian Journal of Medical Research* 145(March): 358-364.

Bellabarba, D. and N. Van Rossum (2014). "Recurrent hyper- and hypothyroidism over a period of 5 years." *Thyroid* 24: A9.

Bernet, V. and A. M. Chindris (2012). "The potential dangers of supplements and herbal products marketed for improved thyroid function." *Expert Review of Endocrinology and*

Metabolism 7(3): 247-249.

Biswas, D., et al. (2015). "Occurrence of osteoporosis & factors determining bone mineral loss in young adults with graves' disease." Indian Journal of Medical Research, Supplement 141(Mar2015): 322-329.

Boj Carceller, D., et al. (2014). "Clinical results and benefits of treatment with a 131I fixed dose compared with no treatment in patients with subclinical hiperthyroidism: Prospective cohort study." European Journal of Nuclear Medicine and Molecular Imaging 41: S541.

Bontha, S., et al. (2001). "Use of volume derived from three-dimensional computed tomography to follow-up a retrosternal compressive toxic multinodular goiter treated with 131I." Endocrinologist 11(3): 247-249.

Bothra, N., et al. (2017). "Hashimoto's thyroiditis: relative recurrence risk ratio and implications for screening of first-degree relatives." Clinical Endocrinology 87(2): 201-206.

Brona, A., et al. (2010). "Predictors of cardiovascular risk in patients with hyperthyroidism before and after radioiodine therapy." Endocrine Abstracts 22: P802.

Brown, K. R., et al. (2013). "Resolution of chronic urticaria in two pediatric patients following treatment of graves' disease." Annals of Allergy, Asthma and Immunology 111(5): A59.

Caetano, L. A., et al. (2011). "Thyroid hormone resistance and pituitary incidentaloma." Endocrine Reviews 32(3).

Campennì, A., et al. (2013). "Iodine-131 treatment of hyperthyroidism: A retrospective study." Clinical and Translational Imaging 1: S120.

Campenni, A., et al. (2017). "Iodine-131 treatment of hyperthyroidism: A retrospective study." Clinical and Translational Imaging 5: S61.

Canali, E., et al. (2017). "Hyperthyroidism treatment with a custom dose vs standard therapy." *Clinical and Translational Imaging* 5: S61.

Cardoso, R., et al. (2015). "Newborns of mothers with graves' disease: Survey of 14 years." *Hormone Research in Paediatrics* 84: 561.

Carluccio, A. L., et al. (2012). "Apatjetoc thyrotoxicosis secondary to atypical subacute thyroiditis." *Endocrine Practice* 18(5): e127-e129.

Chakrabarti, S. (2015). "Normokalemic thyrotoxic periodic paralysis with preserved reflexes- A unique case report." *Journal of Clinical and Diagnostic Research* 9(2): OD05-OD06.

a.

Chandrasekera, H., et al. (2013). "A resistant case of thyrotoxicosis in a patient with graves' disease." *Endocrine Reviews* 34(3).

Chang, T. C. (2007). "Clinical application of thyroid and parathyroid ultrasonography in the outpatient clinic." *Journal of Medical Ultrasound* 15(3): 135-140.

Chang, Z. (2017). "Mind the gap: Flimsy follow-up leads to toxic thyroid." *Journal of General Internal Medicine* 32(2): S541-S542.

Chillarón Jordán, J. J., et al. (2005). "Thyroid disorders in Down's syndrome." *SD Revista Medica Internacional sobre el Síndrome de Down* 9(3): 34-39.

Clark, C. and C. Knight (2016). "Relapsing thyrotoxicosis after total thyroidectomy in a patient with graves' disease." *Journal of General Internal Medicine* 31(2): S717-S718.

Cohn, A., et al. (2017). "Radioactive iodine treatment for hyperthyroidism in a patient with end stage renal disease." *Endocrine Reviews* 38(3).

Cullen, E. M. and K. B. Gebke (2013). "Palpitations in a softball player." *Clinical Journal of Sport Medicine* 23(2): e14.

Cunha, F. M., et al. (2014). "Methimazole-induced agranulocytosis in a patient with graves disease." *European Thyroid Journal* 3: 207-208.

Dardi, I. K., et al. (2015). "A case of hypothyroidism in a cat owner with methimazole use for the treatment of feline hyperthyroidism." *Thyroid* 25: A66.

Davidenko, I., et al. (2012). "Unmarked case of amiodarone-induced thyrotoxicosis." *European Thyroid Journal* 1: 133.

Del Mundo, K., et al. (2013). "Outcome of radioiodine therapy in benign nodular nontoxic goite." *European Journal of Nuclear Medicine and Molecular Imaging* 40: S353.

Dela Cruz, K., et al. (2013). "Outcome of radioiodine therapy in benign nodular non-toxic goiter." *Journal of Labelled Compounds and Radiopharmaceuticals* 56: S280.

Demirel, K., et al. (2011). "Outcome of radioiodine therapy in patients with hyperthyroidism: Calculated doses vs. Fixed doses." *European Journal of Nuclear Medicine and Molecular Imaging* 38: S431-S432.

Dhingra, V. K. and N. Bhatia (2015). "Use of telemedicine for facilitation of follow-up of patients of hyperthyroidism after definitive therapy with radioiodine in a primarily hilly state." *Indian Journal of Nuclear Medicine* 30(5): S27.

Dodig, D., et al. (2003). "Treatment of Graves' disease with radioiodine (I131)." *Paediatrica Croatica, Supplement* 47(1): 113-116.

Ecker, J. L. and T. J. Musci (2000). "Thyroid function and disease in pregnancy." *Current Problems in Obstetrics, Gynecology and Fertility* 23(3): 109-122.

El Bez, I., et al. (2014). "Iodine-131 treatment of hyperthyroidism in people older than 65 years." *European Journal of Nuclear Medicine and Molecular Imaging* 41: S547.

Eugenio, F., et al. (2016). "Retrospective analysis of thyroid function tests in patients with grave's disease treated with protocol-based dosing of methimazole in a safety-net endocrinology clinic." *Endocrine Reviews* 37(2).

Frossard, M. M., et al. (2017). "Unreliability of the tsh upper-reference limit alone and the importance of thyroid autoantibodies to predict subclinical hypothyroidism in turner syndrome." *Endocrine Reviews* 38(3).

Ganjoo, N. and V. Puthi (2016). "Primary cutaneous amyloidosis in an adolescent with graves' disease: Previously unknown association." *Archives of Disease in Childhood* 101: A278-A279.

García-Agulló, D. O., et al. (2006). "Radioiodine in hyperthyroidism: Long-term outcomes." *Endocrinología y Nutrición* 53(7): 435-439.

Gavrila, A., et al. (2014). "Variable brown adipose tissue response to the thyroid hormone status." *Thyroid* 24: A113-A114.

Genovesi, M., et al. (2011). "Thyroid diseases in the Casentino area." *Italian Journal of Medicine* 5(2): 45.

Gessl, A., et al. (2012). *Thyroid disorders*. 214: 361-386.

Gibb, F. W., et al. (2012). "Risk factors for treatment failure, indicators of incipient hypothyroidism and assessment of weight gain following radioiodine therapy for graves thyrotoxicosis." *Endocrine Reviews* 33(3).

Gibson, S. M. and A. Abou-Samra (2012). "Pseudotumor cerebri in a patient with graves disease, is there an association?" *Endocrine Reviews* 33(3).

Gietka-Czernel, M. (2017). "The thyroid gland in postmenopausal women: Physiology and diseases." *Przegląd Menopauzalny* 16(2): 33-37.

Gray, M., et al. (2011). "Radionuclide dosimetry in thyrotoxicosis - A 10 year patient study." *European Journal of Nuclear Medicine and Molecular Imaging* 38: S238.

Greeve, J. (2003). "Thyroid disorders during pregnancy." *Gynakologe* 36(11): 965-973.

Gu, Y., et al. (2016). "Pulmonary hypertension aggravated by hyperthyroidism: A case report." *Endocrine Reviews* 37(2).

Hamidi, O., et al. (2016). "Outcomes of patients with benign thyroid nodules treated with radiofrequency ablation: A retrospective single-center case series." *Thyroid* 26: A43.

Heringer, L. and H. Crevensten (2010). "Recurrent paralysis due to hyperthyroidism causing hypokalemia." *Journal of General Internal Medicine* 25: S544-S545.

Hoff, A. O., et al. (2014). "Reversal of T3 thyrotoxicosis by lenvatinib in metastatic follicular thyroid carcinoma: Report of 2 cases." *Endocrine Reviews* 35.

Hookham, J., et al. (2017). "Variation in the use of definitive treatment options in the management of graves' disease: A UK clinician survey." *Postgraduate Medical Journal* 93(1098): 198-204.

Hou, H., et al. (2016). "Fixed dose of radioiodine (5 mCi) for the treatment of Graves' disease: Is it possible to predict outcome before therapy?" *Molecular Imaging and Biology* 18(1): S971.

Hou, S. S., et al. (2010). "Analysis of influencing factors for therapeutic effects of <sup>131</sup>I therapy for hyperthyroidism." *Journal of Shanghai Jiaotong University (Medical Science)* 30(9): 1055-1058.

Isik, S., et al. (2011). "Relationship between thyroid nodules and adrenal incidentalomas." *Endocrine Reviews* 32(3).

Izkhakov, E., et al. (2016). "Drug versus radioactive treatment of graves' disease- metabolic outcomes." *Endocrine Reviews* 37(2).

Jiang, N., et al. (2015). "Follow-up and evaluation of the pregnancy outcome in women at reproductive age with graves'hyperthyroidism after <sup>131</sup>-iodine treatment." *Thyroid* 25: A79.

Jiménez, C. M., et al. (2014). "Results of radioiodine treatment in patients with goiter multinodular and toxic adenoma." *European Thyroid Journal* 3: 178.

Johnstone, H. C., et al. (2004). "The evaluation and management of thyrotoxicosis." *Current Paediatrics* 14(5): 430-437.

Jukić, T., et al. (2011). "Thyroid dysfunction and treatment strategy in patients on amiodarone therapy." *European Thyroid Journal*: 175-176.

JuMc, T., et al. (2011). "Amiodarone induced thyroid dysfunction." *Nuklearmedizin* 50(2): A148.

Jung, I. A., et al. (2015). "Nonautoimmune neonatal hyperthyroidism due to A633G mutation in the thyrotropin receptor gene." *Hormone Research in Paediatrics* 84: 306.

Kamoun, T., et al. (2013). "Factors influencing the success of Radio-iodine dose in the treatment of Graves disease: One year outcom." *European Journal of Nuclear Medicine and Molecular Imaging* 40: S232.

Khan, S. H., et al. (2017). "Radioactive iodine-131 as a definitive treatment in rare association of down syndrome with hyperthyroidism: A case report and review of literature." *Indian Journal of Nuclear Medicine* 32(1): 19-24.

Kijek, J., et al. (2010). "The outcome of radioiodine therapy in Graves' hyperthyroidism: Thyroid size as prognostic factor." *Endocrine Abstracts* 20: P123.

Kijek, J., et al. (2010). "The TSH receptor antibody levels (TSHRAb) and thyroid function after 131I therapy in patients with Graves' disease - 10 years follow-up." *Endocrine Abstracts* 20: P122.

Kijek, J., et al. (2010). "TSH receptor antibody levels (TSHAb) in hyperthyroid patients with Graves' disease (GD): An evaluation of the outcome of 131I therapy." *Endocrine Abstracts* 22: P830.

Kim, D., et al. (2013). "Thyrotoxicosis and abdominal symptoms-a diagnostic challenge." *Journal of General Internal Medicine* 28: S407.

Kim, P. J., et al. (2012). "The effect of thyroid scintigraphy on thyroid function test among the patients with subclinical hyperthyroidism." *Endocrine Reviews* 33(3).

Kim, Y. A., et al. (2016). "Long-term clinical course after antithyroid drug treatment in patients with graves' disease." *Endocrine Reviews* 37(2).

Kobayashi, S., et al. (2015). "Effectiveness of levothyroxine therapy targeting a thyrotropin level lower than 2.5 mu/ l during the first trimester in preventing miscarriage: A prospective study at a single institution." *Thyroid* 25: A188.

Korula, S., et al. (2015). "Graves' disease in children less than 8 years of age: Review of clinical features and treatment outcome." *International Journal of Pediatric Endocrinology* 2015.

Kung, F. P., et al. (2012). "Graves' ophthalmopathy." *Journal of Internal Medicine of Taiwan* 23(1): 9-20.

Kwok, C., et al. (2004). "Standard-dose prescription of radioiodine therapy for thyrotoxicosis: The Queen Mary Hospital experience." *Journal of the Hong Kong College of Radiologists* 7(4): 187-194.

Kyrilli, A., et al. (2013). "Thiamazol increases iodine uptake and allows a reduction of radioiodine dose needed to treat subclinical hyperthyroidism in patients with multinodular goiter." *European Thyroid Journal* 2: 145.

Lai, J. and V. Wong (2017). "Urinary iodine as a predictor of lag-time to hypothyroidism in patients treated with iodine-131 for grave's disease." *Clinical Endocrinology* 86: 35-36.

Larrad Jiménez, A. and A. Sitges Serra (2005). "Advances in surgical treatment." *Endocrinologia y Nutricion* 52(SUPPL. 1): 11-17.

Laurberg, P., et al. (2013). "Prediction of remission during antithyroid drug therapy of graves' disease." *Thyroid* 23: A19.

Lee, Y., et al. (2013). "Comparison between total thyroidectomy and subtotal thyroidectomy in graves' disease." *Thyroid* 23: A83-A84.

Leighton, K. and N. Priddee (2017). "The disappearing haemoglobinopathy trait." *British Journal of Haematology* 176: 102.

Leung, B. C. H. (2003). "Management of thyroid nodules." *Hong Kong Practitioner* 25(12): 611-615.

Levy, M. (2008). "Assessment and management of thyroid disease." *Foundation Years* 4(6): 237-240.

Liu, X., et al. (2014). "Antithyroid drug therapy holds good for recurrent graves' disease." *Endocrine Reviews* 35.

Mahapatra, A. and M. Sood (2015). "Hyperthyroidism on long-term lithium carbonate therapy: A case report." *Indian Journal of Psychiatry* 57(5): S142-S143.

Mahmood, M. and T. Ulahannan (2009). "Recurrence of hyperthyroidism - 12 years after radioiodine induced hypothyroidism; A case report." *Endocrine Abstracts* 19: P104.

McCormack, A. I. and D. L. Learoyd (2006). "A guide to thyroid dysfunction." *Medicine Today* 7(5): 28-35.

Michelon, F., et al. (2013). "A case of medical malpractice in differentiated thyroid carcinoma (DTC): A case report." *Clinical and Translational Imaging* 1: S45.

Micle, I., et al. (2010). "Diagnostic and treatment difficulties in an infant born to a mother with Graves' disease." *Hormone Research in Paediatrics* 74: 289.

Miller, T., et al. (2013). "Detection, incidence, and management of thyroid autoimmunity in comparison of alemtuzumab and rebif® in multiple sclerosis (CARE-MS) I and II." *Neurology* 80(1).

Mitra, S., et al. (2010). "Does thyroxine suppression therapy help to rationalize surgery

in benign euthyroid nodules." *Indian Journal of Nuclear Medicine* 25(2): 57-61.

Mojsak, M. N., et al. (2012). "The influence of single low dose (0,03 mg) recombinant human thyrotropin (rhTSH) on I-131 uptake and function of large multinodular goitre." *European Journal of Nuclear Medicine and Molecular Imaging* 39: S339.

Mori, M., et al. (2016). "Case series: Odontohypophosphatasia or missed diagnosis of childhood/adult-onset hypophosphatasia? – Call for a long-term follow-up of premature loss of primary teeth." *Bone Reports* 5: 228-232.

Munday, L. (2009). "Post radioiodine monitoring: Do patients feel telephone consultations are an acceptable part of a nurse-led clinic?" *Endocrine Abstracts* 19: P343.

Munshi, L. B., et al. (2017). "BRCA-1 associated with pheochromocytoma and parathyroid adenoma." *Endocrine Reviews* 38(3).

Nadeem, A., et al. (2010). "Interferon-alpha Induced and Ribavirin induced thyroid dysfunction in patients with chronic hepatitis C." *Hepatitis Monthly* 10(2): 132-140.

Naji, P., et al. (2013). "Graves' disease causing pancytopenia and autoimmune hemolytic anemia at different time intervals: A case report and a review of the literature." *Case Reports in Medicine* 2013.

Nakatake, N., et al. (2011). "Prediction of post-treatment hypothyroidism using changes in thyroid volume after radioactive iodine therapy in adolescent patients with Graves' disease." *International Journal of Pediatric Endocrinology* 2011(1).

Negro, R., et al. (2016). "A 2015 Italian Survey of Clinical Practice Patterns in the Management of Graves' Disease: Comparison with European and North American Surveys." *European Thyroid Journal* 5(2): 112-119.

Niaz, W., et al. (2017). "A case of severe acquired hypothyroidism occurring 9 weeks after radioactive iodine therapy for graves' disease." *Endocrine Reviews* 38(3).

Niwattisaiwong, S. (2013). "Subacute thyroiditis misdiagnosed as graves' disease resulting in severe hypothyroidism." *Endocrine Reviews* 34(3).

Noh, J. Y., et al. (2015). "Prevention of hyperthyroidism exacerbation during radioactive iodine therapy in a patient with graves' disease and a huge goiter." *Thyroid* 25: A67-A68.

Norman, C., et al. (2011). "Predictors of resistance to radioiodine ablation for graves disease." *Endocrine Reviews* 32(3).

Palacios, S. S., et al. (2012). "Management of subclinical hyperthyroidism." *International Journal of Endocrinology and Metabolism* 10(2): 490-496.

Palitzsch, K. D. (2017). "Thyroid disease in old age." *Internistische Praxis* 58(1): 51-64.

Paragas, S. M. O. and P. D. Maningat (2017). "Subacute thyroiditis presenting as rapidly enlarging thyroid nodule post dengue infection: A case report." *Endocrine Reviews* 38(3).

Pernicova, I., et al. (2009). "Hyperthyroidism: Retrospective audit on patients' follow-up post radioiodine therapy." *Endocrine Abstracts* 19: P396.

Pitoia, F., et al. (2011). "How to increase radioiodine uptake in multinodular goiters by using metil mercapto imidazole." *Thyroid* 21: A101.

Pitoia, F., et al. (2011). "Increasing radioiodine uptake for the treatment of non autoimmune multinodular goiter." *European Thyroid Journal*: 155-156.

Poiana, C., et al. (2011). "Thyroid nodules in patients with malignancies." *European Thyroid Journal*: 182.

Poste, J., et al. (2015). "Clinical outcomes after calculated activity of radioiodine for the treatment of benign hyperthyroid disease at westchester medical center: A retrospective analysis." *Endocrine Reviews* 36.

Prakash, O., et al. (2010). "Detection and treatment of hyperthyroidism in sea costal areas and chemically polluted areas in Gujarat, (western part) India." *Indian Journal of Nuclear Medicine* 25(3): 99.

Priatna, et al. (2017). "Effect of radioiodine (I-131) to tsh, T3 and FT4 hormone levels in hyperthyroidism high uptake patients." *Trends in Medical Research* 12(1): 14-19.

Proenca, M., et al. (2013). "Prognostic value of subclinical hyperthyroidism in an internal medicine ward." *European Journal of Internal Medicine* 24: e102.

Quidute, A. R., et al. (2010). "Regression of pulmonary arterial hypertension after treatment of hyperthyroidism." *Endocrine Abstracts* 20: P131.

Rehman, R. A. and E. Nyenwe (2012). "Papillary thyroid carcinoma in a toxic adenoma." *Journal of Investigative Medicine* 60(1): 350-351.

Romão, R., et al. (2007). "A 3-year follow-up of recombinant human thyrotropin (rhTSH) prior to 30 mCi of radioiodine in the outpatient treatment of multinodular goiter (MNG)." *Thyroid* 17: S132.

Saeed, K. R., et al. (2012). "Association of hyperthyroidism and duodenal ulcer." *Surgical Endoscopy and Other Interventional Techniques* 26: S430.

Saeednia, S., et al. (2013). "Evaluation of anti-thyroid drugs, radioactive iodine and surgery in patients with hyperthyroidism." *Iranian Journal of Endocrinology and Metabolism* 14(6): 1-8.

Şaki, H., et al. (2014). "Effectiveness of radioiodine treatment for toxic nodular goiter." *European Journal of Nuclear Medicine and Molecular Imaging* 41: S542.

Salman, S., et al. (2010). "Evaluation of the association between bone turnover markers and OPG/sRANK-L levels in relation with the changes of thyroid function in women with thyroid cancer." *Endocrine Abstracts* 20: P238.

Salvaneschi, J. P. and J. R. A. R. García (2009). "Endemic goiter in the Argentine Republic: Antecedents, extension, and magnitude of the endemic disease before and after the use of iodized salt. Second part." *Revista Argentina de Endocrinología y Metabolismo* 46(2): 35-57.

Sambo, M. E., et al. (2015). "Radiofrequency ablation (RFA) in the clinical, morphological and functional control of large, solids, symptomatic and benign thyroid nodules: Justification and preliminary safety outcomes of a multicenter study." *Endocrine Reviews* 36.

Sanchez, L. M. P., et al. (2013). "Clinical presentation and response to therapy of graves' disease in a multi-ethnic endocrine clinic." *Endocrine Reviews* 34(3).

Saumoy, M., et al. (2012). "Hyperbilirubinemia as a presenting symptom of thyrotoxicosis in a patient with sickle cell disease." *American Journal of Gastroenterology* 107: S422.

Shehata, N., et al. (2015). "Rare malignant struma ovarii - non-papillary thyroid carcinoma of the ovary." *BJOG: An International Journal of Obstetrics and Gynaecology* 122: 151-152.

Singh, I. and S. Bhat (2015). "Intraductal papillary mucinous neoplasm as new manifestation of mcune albright syndrome." *Endocrine Reviews* 36.

Subramanian, M., et al. (2016). "The effect of prior antithyroid drug use on delaying remission in high uptake Graves' disease following radioiodine ablation." *Endocrine Connections* 5(1): 34-40.

Sundaresh, V., et al. (2012). "Comparative effectiveness of treatment choices for graves' hyperthyroidism: Experience of a tertiary referral center." *Thyroid* 22: A87.

Sundaresh, V., et al. (2013). "Comparative effectiveness of treatment choices for graves' disease in the elderly population: Experience of a tertiary referral center." *Endocrine Reviews* 34(3).

Sundaresh, V., et al. (2017). "Comparative Effectiveness of Treatment Choices for Graves' Hyperthyroidism: A Historical Cohort Study." *Thyroid* 27(4): 497-505.

Taboada, G. F., et al. (2005). "Struma ovarii and concomitant thyroid disease: Report of two cases." *Endocrinologist* 15(2): 79-81.

Taghavi, S. M. (2010). "Outcome of fix and uncalculated dose of radioiodine in the treatment of hyper functioning thyroid nodules." *Iranian Journal of Nuclear Medicine* 18: 97.

Tarasova, V. D., et al. (2013). "A novel mutation of thyroid receptor beta subunit causing resistance to thyroid hormone." *Thyroid* 23: A66-A67.

Thirion, M., et al. (2006). "Thyrotoxicosis." *Reanimation* 15(6): 497-505.

Thirumalai, A. and S. Trikudanathan (2015). "Radioiodine ablation for amiodarone-induced thyrotoxicosis allows re-introduction of the drug." *Thyroid* 25: A217.

Triay, J. and P. Singhal (2010). "Improving the accuracy of clinical diagnosis in hyperthyroid disorders using ultrasound assessment." *Endocrine Abstracts* 22: P792.

Trifanescu, R. A., et al. (2015). "Papillary thyroid carcinoma in insulinoma patients: Simple coincidence, men 1 syndrome or effect of hyperinsulinemia?" *Thyroid* 25: A292.

Truran, P. and S. Aspinall (2014). "Thyrotoxicosis and thyroiditis." *Surgery (United Kingdom)* 32(10): 537-542.

Tufton, N., et al. (2009). "Is long-term follow-up after radio-iodine therapy safe in the current UK health-care climate?" *Endocrine Abstracts* 19: P394.

Tun, N. N., et al. (2016). "Predicting risk of recurrent thyrotoxicosis following thionamide withdrawal in graves disease." *Endocrine Reviews* 37(2).

Vallabhajosula, S., et al. (2010). "Hyperthyroidism is associated with reversible pulmonary hypertension." *Journal of Investigative Medicine* 58(2): 425.

Van Wilder, N., et al. (2017). "Pseudomalabsorption of levothyroxine: A challenge for the endocrinologist in the treatment of hypothyroidism." *European Thyroid Journal* 6(1): 52-56.

Vija Racaru, L., et al. (2017). "Clinical outcomes 1 year after empiric <sup>131</sup>I therapy for hyperthyroid disorders: Real life experience and predictive factors of functional response." *Nuclear Medicine Communications* 38(9): 756-763.

White, R. D. (2004). "Hyperthyroidism: Current standards of care." *Consultant* 44(8): 1085-1090.

Wilhoit, B. and A. DeCastro (2014). "18-Year-old basketball player with profound muscle weakness." *Clinical Journal of Sport Medicine* 24(2): e2-e3.

Wilson, C. (2013). "Thyroid function: Cause of increased mortality differs for Graves disease and toxic nodular goiter." *Nature Reviews Endocrinology* 9(3): 128.

Yaish, I., et al. (2014). "The effect of radioactive iodine <sup>131</sup>I treatment on ovarian reserve : Preliminary data from a prospective study." *Endocrine Reviews* 35.

Yilmaz, B., et al. (2010). "Changes in the spectrum of thyroid diseases in geriatric population 10 years after mandatory iodination in Ankara." *European Geriatric Medicine* 1: S111.

Yu, J. and H. S. Han (2010). "Outcome of Graves disease treated with antithyroid drugs in children and adolescents." *Hormone Research in Paediatrics* 74: 254.

Zaletel, K., et al. (2011). "The correlation between Tc-99m and I-123 uptake in patients with thyroid autonomy." *European Journal of Nuclear Medicine and Molecular Imaging* 38: S154.

Zaletel, K., et al. (2011). "The comparison of TC-99m and I-123 uptake in patients with thyroid autonomous tissue." *European Thyroid Journal*: 159-160.